

system information



infornorm****[®]


infornorm****[®]
sign systems

basic elements

infororm® is a modular aluminium sign system. Three main components provide the building blocks for every infororm sign.

- base profile → accepting 1 or several cover profiles.
Easy to wall-mount by screws or double tape
- cover profile (s) → accepting any lettering, including special profiles for self-lettering and slider-system vacant/occupied
- end caps → secured by sturdy plastic springs mounted on the base profiles. Hold the cover profile(s) securely in place.

All **infororm**® profiles are interchangeable and offer unlimited option for combinations; also with other product lines.



the grid


The **infoNORM**® grid determines the size of standard **infoNORM**® signs.

Each box on the grid is 52,5mm wide and 21 mm high

All other standard sizes are based on the grid:

- width → 52,5 / 105 / 157,5 / 2102100 mm
- height → 21 / 42 / 63 / 84 / 1052100 mm

Extrusions are in heights as above. Special widths are possible upon request.




functionality

infoform is a precision engineered alu sign system produced in Switzerland. The slats (panels/cover profiles) are sled on to the base profiles. They are being fixed and kept in place by end caps on both sides.

Totally 18 different cover profiles do offer nearly unlimited options and combinations.

No limits are set to creativeness and signage request by designers and end users



handling, changeability

no tools are required to open/close infonorm signs.
As a support a red triangular key can be used.



place red key




push upwards



release end cap and panel (cover profile)



security locking device



as protection against vandalisme

security key with pin.



push inside hole in end cap



push upwards, release end cap

To remount the end cap push against plastic spring. Then push slightly downwards. Sign locks by a "click".